Verify Cayley-Hamilton theorem of the matrix A' and hence find A<sup>-1</sup> where

$$A = \begin{bmatrix} 2 & -1 & 1 \\ -1 & 2 & -1 \\ 1 & -1 & 2 \end{bmatrix}$$

If â and b are Unit Vectors inclined at an

angle 'A', then prove that

(i) 
$$\sin\left(\frac{A}{2}\right) = \frac{1}{2}|a-\hat{b}|$$

(ii) 
$$\cos\left(\frac{A}{2}\right) = \frac{1}{2}|\hat{a} + \hat{b}|$$

(iii) 
$$\tan\left(\frac{A}{2}\right) = \frac{|\hat{a} - \hat{b}|}{|\hat{a} + \hat{b}|}$$

- 13. Evaluate the following integrals:
  - (a)  $\int x^2 \sin x \, dx$

(b) 
$$\int x \sqrt{x+2} dx$$

(c) 
$$\int \frac{x}{(x^2+2)(x^2+3)} dx$$

A (Printed Pages 4)
(21222) Roll No. Annowania (Printed Pages 4)
BCA-I Sem.

# 18005

# B.C.A. Examination, Dec.-2022 MATHEMATICS - I

(BCA - 101)

Time: Three Hours | [Maximum Marks: 75

**Note:** Attempt questions from **all** sections as per instructions.

#### Section - A

(Very Short Answer Type Questions)

**Note:** Attempt **all** questions of this section. Each question carries 3 marks.

$$3 \times 5 = 15$$

Give an example of matrices A, B such that AB=0 but A ≠ 0, B ≠ 0.

- 2. Verify Rolle's theorem for the function  $f(x) = \sqrt{4 x^2} \text{ in the interval } [-2, 2].$
- 3. Evaluate  $\lim_{x\to 0} \frac{\tan x x}{x^2 \tan x}$ .
- Write the relationship between Gamma and Beta function.
- Find the characteristic roots of the matrix

$$A = \begin{bmatrix} a & h & g \\ 0 & b & f \\ 0 & 0 & c \end{bmatrix}$$

#### Section-B

### (Short Answer Type Questions)

Note: Attempt any two questions out of the following three questions. Each question carries 7½ marks.

 Explain log<sub>e</sub>(1+x) in ascending powers of 'x'. Solve by Cramer's Rule :

$$5x-7y+z=11$$

$$6x-8y-z=15$$

$$3x+2y-6z=7$$

Prove that Conical text of given capacity
will require the least amount of Canvas
when the height is √2 times the radius
of the base.

#### Section-C

## (Long Answer Type Questions)

- **Note:** Attempt any **three** questions out of the following five questions. Each question carries 15 marks.  $3 \times 15 = 45$
- Trace the curve

$$4ay^2 = x (x-2a)^2$$

10. If  $y=(\sin^{-1} x)^2$  prove that  $(1-x^2)y_2 - xy, -2 = 0 \text{ also prove that}$  $(1-x^2)y_{n+2} - x(2n+1)y_{n+1} - n^2y_n = 0$ 

18005/2